



Revolutionary Products For The ISPs / WISPs



NM-G048

**Gigabit Passive PoE Injector
48VDC @ 0.5A**




Gigabit Passive PoE Injector 48VDC @ 0.5A



NETSTAR Passive PoE Injector is used to power variety of NETSTAR Reverse PoE Switches and other Passive Wireless CPE / PoE enabled devices (48VDC, 0.5A). NETSTAR PoE Injectors provide variety of features like Surge Protection, Overload & Short Circuit Protection.

TECHNICAL SPECIFICATION

Ethernet Connector	2 x Gigabit Metallic RJ45 Ports
Input Voltage	100-240VAC @ 50/60Hz
Output Voltage	48VDC @ 0.5A (24Watt)
Network Cable	4-pair UTP Cat 5 / Cat 6 cable
LED	Power : On/Off for PoE Injector
Power Cord	By default : Indian Type 3 Pin Power Cord *Also available with all type of Power cords
Ethernet Cable Data Line	All 4 Pair : Pin 1, 2, Pin 3, 6, Pin 4, 5 & Pin 7, 8
Ethernet Cable Power Line	+VDC : Pin 4, 5 & -VDC : Pin 7, 8
Operating Temperature	0°C ~ 60°C
Storage Environment	-20°C ~ 80°C
Operating Humidity	20% to 95% (non-condensing)
Dimensions	50 x 110 x 35 mm
Net Weight	0.23 Kg



NM-G048



Infonet Technologies

- 19, Limbani Complex,
Ambli Bopal Road,
Ahmedabad - 380058, Gujarat, INDIA
- +91 79 26764812
- +91 9687688966
- switch@netstar.in
- www.netstar.in