



PT-DR1A04G-K1

4-ch 1080p DVR

KEY FEATURES

- H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 video compression
- HDTVI/AHD/CVI/CVBS/IP video input
- Up to 6/12-ch IP camera inputs (up to 1080p/5 MP) Max. 1200 m for 720p HDTVI signal

VIDEO/AUDIO INPUT

- Video compression H.264+/H.264
- Analog video input 4-ch
BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection

- HD-TVI input 1080p25, 1080p30, 720p25, 720p30
- AHD input 1080p25, 1080p30, 720p25, 720p30
- HDCVI input 1080p25, 1080p30, 720p25, 720p30
- CVBS input Support
- IP video input 1-ch (up to 5-ch)
Up to 1.3MP resolution
- Audio compression G.711u
- Audio input/Two-way audio input 1-ch, RCA (2.0 Vp-p, 1 KΩ)

VIDEO/AUDIO OUTPUT

- HDMI/VGA output 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
- Encoding resolution When 1080p lite mode not enabled: 720p/WD1/4CIF/VGA/CIF When 1080p lite mode enabled: 1080p lite/HD 720p lite/WD1/4CIF/VGA/CIF
- Frame rate "Main stream: When 1080p lite mode enabled:
1080p lite/HD 720p lite/WD1/4CIF/VGA@12fps; CIF@25fps (P)/30fps (N)
When 1080p lite mode not enabled:
For 720p stream access:
720p/WD1/4CIF/VGA@12fps; CIF@25fps (P)/30fps (N)
For SD stream access:
WD1/4CIF/VGA/CIF@25fps (P)/30fps (N)
Sub-stream:
CIF/QVGA/QCIF@25fps (P)/30fps (N)
"
- Video bit rate 32 Kbps to 4 Mbps
- Audio output 1-ch, RCA (Linear, 1 KΩ)
- Audio bit rate 64 Kbps
- Dual stream Support
- Stream type Video, Video & Audio
- Synchronous playback 4-ch

NETWORK MANAGEMENT

- Remote connections32
- Network protocolsTCP/IP, PPPoE, DHCP, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnP™, HTTPS

HARD DISK

- SATA1 SATA interface
- CapacityUp to 6 TB capacity for each disk

EXTERNAL INTERFACE

- Network interface1, RJ45 10M/100M self-adaptive Ethernet interface
- USB interfaceRear panel: 2 × USB 2.0

GENERAL

- Power supply12 VDC
- Consumption (without HDD)≤ 8 W
- Working temperature-10 °C to +55 °C (14 °F to 131 °F)
- Working humidity10% to 90%
- Dimensions(W × D × H)200 × 200 × 45 mm (7.9 × 7.9 × 1.8 inch)
- Weight(without HDD)≤ 0.8 kg (1.8 lb)